DAT 2330 – Ian Allen – Fall 2004 -1- 100 minutes DAT 2330 – Ian Allen – Fall 2004 -2- Evaluation: 42 Ouestions Name: 5. If you type the command sleep 60

## **Important Instructions**

- 1. Read all the instructions and both sides of all pages.
- 2. Manage your time when answering questions on this test. *Answer the questions you know, first.*

## Multiple Choice - 42 Questions - 6 of 10%

(Office use only: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42)

- 1. Which command line outputs inode/filename pairs for names in the current directory, sorted by inode number?
  - † a. ls -i -a | sort -n
    - b. ls -a | sort -i
    - c. sort -n | ls -ai
    - d. sort ls -ia
    - e. ls -ia > sort -n
- 2. How can you ask the **bash** (Linux) shell to complete commands or file names for you?
  - † a. Type the first part of the command or file name and press the [TAB] key
    - b. Type the first part of the command or file name and press the [ALT] key.
  - c. Type the first part of the command or file name and press the [ALT]-[F1] key.
  - d. Type the first part of the command or file name and press the [CTRL]-[D] key.
  - e. Type the first part of the command or file name and press the [CTRL]-[C] key.
- 3. If **/bin/bash** is a file name, which pathname always leads to the same file?
  - † a. /../bin/./bash
    - b. ./../bin/bash
    - c. /bin/../bash
    - d. /bin/bash/.
    - e. /bin/bin/../bash
- 4. If you type the command **grep pattern** which key sequence will send an EOF and take you immediately back to the command prompt?
  - † a. [CTRL-D]
    - b. [CTRL-C]
    - c. [CTRL-L]
    - d. [CTRL-U]
    - e. [CTRL-R]

Answer the questions you know, just.

- 6. Which of the command lines below can generate a non-empty file?
  - †a. ls -1 file >file

command prompt?

† a. [CTRL-C]

b. [CTRL-D]

c. [CTRL-L]d. [CTRL-U]e. [CTRL-R]

- b. cat file >file
- c. grep pattern file >file
- d. head -1 file >file
- e. sort -r file >file
- 7. Which command line below never shows any lines from inside the fi le **cow**?

which key sequence will interrupt it and take you immediately back to the

- †a. wc -1 cow
  - b. head -1 cow
  - c. grep pattern cow
  - d. sort -r cow
  - e. tail -8 cow
- 8. How many command arguments does the shell pass to this **echo** command: **echo** 'It's "1 2" isn't it? I can't decide.
  - † a. Four arguments.
    - b. Five arguments.
    - c. Six arguments.
    - d. Two arguments.
    - e. Three arguments.
- How many command arguments does the shell pass to this echo command:
  echo one two three >four five
  - † a. Four arguments.
    - b. Five arguments.
    - c. Six arguments.
    - d. Two arguments.
    - e. Three arguments.
- 10. Which statement is true, given this long directory listing from  ${f ls}$ :

## drwxr-x--x 256 ian user 512 May 30 12:35 dir

- $\dagger$  **a**. The number 512 is the size of this directory.
  - b. The number 512 is the count of links (names) this directory has.
- c. The number 256 is the inode number of this directory.
- d. The number 256 is the octal permissions of this directory.
- e. The number 256 is the size of this directory.

100 minutes

11. What is the output of this shell command line in an empty directory?

echo \*

- † a. \*
  - b. an error message from **echo** saying \* does not exist
  - c. . . .
  - d. .
  - e. no output

12. What is the output of this shell command line in an empty directory?

ls \*

- † a. an error message from 1s saying \* does not exist
  - b. \*
  - c. . .
  - d. .
  - e. no output

13. If fi le **nine** contains nine lines, each of which is the one-digit line number of the line in the fi le (1 through 9), what is the output of this command:

sort nine nine | tail -5 | head -1

- † a. 7
  - b. 1
  - c. **9**
  - d. 5 5
  - e. **1 1**

14. How many lines are in fi le **out** after this command line?

echo hi >dog >out >cat

- † a. no output (empty fi le)
  - b. **1**
  - c. 3
  - d. 2
  - e. no such fi le (fi le does not exist)

15. Which command line lists all possible utilities available for compiling programs?

- †a. man -k compile
  - b. man compile
  - c. grep compile /etc/\*
  - d. grep /etc/\* compile
  - e. man \* | grep compile

16. Which of these statements is true?

DAT 2330 – Ian Allen – Fall 2004

- † a. Unix commands must be entered in lower-case letters.
  - b. Unix commands can be entered in upper-case or lower-case letters; they are equivalent.
  - c. You can only login to Unix once per userid; you cannot be logged in to the same machine twice.
  - d. To erase an entire line of typing, type [CTRL]-[D].
  - e. To indicate End-of-File (no more input), type [CTRL]-[C].

17. How many lines are in the fi le **bar** after this command line:

echo hi >x ; echo ho >>x ; cat x >bar

- † a. 2
- b. **4**
- c. **6**
- d. **1**
- e. nothing empty fi le no data

18. How many arguments and options are there to the command:

- † a. Two command line arguments, one of which contains two bundled options.
  - b. Two arguments, one of which is a single option and the other is a pathname.
  - c. A three-letter fi le name and a /sort switch option argument.
  - d. Two arguments, no options.
  - e. Two options, no arguments.

19. In an empty directory, how many arguments are passed to the **wc** command in this command line?

date >o1; touch a1 b2 out >o1; wc o\*

- † a. 2
- b. 3
- c. **4**
- d. 5
- e. **1**

20. If directory /a contains these seven two-character file names: aa, ab, ac, ad, a\*, a?, ??, then which shell command below will remove only the single name a? from the directory?

- † a. rm '/a/a?'
  - b. rm /a/?\?
  - c. rm /a/a?
  - d. rm "/a?"
  - e. rm /a\?

- 21. Which command line below outputs only lines 10-15 of the 16-line file named cow ?
- †a. head -15 cow | tail -6
  - b. tail -16 cow | head -10
  - c. head -16 cow | tail -5 cow
  - d. head -15 | tail -6 cow
  - e. tail -10 cow | head -6 cow
- 22. What is in the file **cow** after this command line:

```
echo a >b; echo b >a; mv b a >cow
```

- † a. nothing empty fi le no data
  - b. a followed by b
  - c. **a**
  - d. b
  - e. no such fi le (nonexistent)
- 23. If directory cow contains only these four three-character file names: .AA , .A1 , .BB , .B. , then what is the output of this command line: echo cow/\*
  - † a. cow/\*
    - b. cow/.AA cow/.A1 cow/.BB cow/.B.
    - c. cow/.AA cow/.A1 cow/.BB
    - d. cow/.B.
    - e. no output
- 24. Which of these command lines will make fi le **cow** contain all of the content of file **one** followed by all of the content of file **two**?
  - † a. cat one two >cow
    - b. cp one two >cow
    - c. cp one >cow two >cow
    - d. my one two >cow
    - e. echo one two >cow
- 25. In an empty directory, how many words are in file **pig** after this command line? touch pig pig ; ls >pig
  - † a. 1
    - b. 3
    - c. 2
    - d. 4
    - e. no output (empty fi le)

- DAT 2330 Ian Allen Fall 2004
- 26. What is the possible output on your screen of this command line:

echo wc >date ; sort date >date ; cat date

- † a. no output
  - b. wc
  - c. 1 6 2 8 date
  - d. 1 6 2 9 date
  - e. Mon Sep 27 15:58:34 EDT 2004
- 27. If I am in my home directory named /home/myhome and **dir** is an empty sub-directory, what is true after this command line:

- † a. the parent directory of dir now has a file named old in it
  - b. the directory dir now contains only a fi le named old
  - c. there is a second copy of the fi le new in the fi le named old
  - d. the command fails because the path ./dir/../new does not exist
  - e. the command fails because the path ../myhome/old does not exist
- 28. If fi le x contains ten lines, and fi le y contains twenty lines, then how many lines are in fi le cat after this command line:

```
sort x y >z ; tail -5 x >x ; sort x y z >cat
```

- † a. 50
  - b. 55
  - c. 60
  - d. 40
  - e. no lines (empty fi le)
- 29. If my current directory is /usr , which of these pathnames is equivalent to the pathname /usr/x/y/z
- $\dagger a. x/./y/z$ 
  - b. /x/y/z
  - c. ./usr/x/y/z
  - d. ../x/y/z
  - e. ../usr/y/z
- 30. What is the output of this successful command line?

cd /home/myhome ; mkdir foo ; mkdir bar ; pwd

- † a. /home/myhome
  - b. /home/myhome/foo
  - c. /home/myhome/bar
  - d. /home/myhome/foo/bar
  - e. /bar

100 minutes

## Answer Key - DAT 2330 - Ian Allen - Fall 2004 - DAT 2330 Unix Test #1 - 10%

-9-

Office use only: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42

1. a 2. a

3. a

4. a

5. a 6. a

7. a 8. a

9. a

10. a 11. a

12. a

13. a

14. a

15. a

16. a 17. a

18. a

19. a

20. a 21. a

22. a

23. a

24. a

25. a

26. a

27. a

28. a

29. a

30. a

31. a

32. a

33. a

34. a

35. a 36. a

37. a

38. a

39. a

40. a

42. a

Count of a: 42 100%

With 5 choices: 42

1 2 3 4 5 6 7 8 9 1 0 1 1

12 13 14 15 16 17 18 19

20 21 22 23 24 25 26 27

28 29 30 31 32 33 34 35

36 37 38 39 40 41 42

Macro .cmd splits: 21 Macro .ans splits: 0

42 Questions