

176 Questions

Name: _____

Important Instructions

1. Read all the instructions and both sides (back and front) of all pages.
2. Answer the questions you know, first. One Answer Only per question.
3. Manage your time when answering questions on this test!

Multiple Choice - 176 Questions - 0 of 0%

This is a practice test containing many practice questions. The real test will contain some questions similar to these. There are probably many more questions in this practice test than there will be time for in the real test. The real test will have approximately one question per minute.

The real test may have some questions unlike anything given here. Knowing the concepts behind the questions is necessary; memorizing these specific answers won't help.

The answers to this test are in the Answer Key on the last page(s).

1. If `/bin/bash` is a file name, which pathname always leads to the same file?
 - a. `/bin/../bin/bash`
 - b. `/bin/../bash`
 - c. `/bin/bash/.`
 - d. `/bin/bin/../bash`
 - e. `./bin/bash`
2. If my current working directory is `/home`, and my home directory is `/home/me`, which of the following commands copies the Unix password file into my home directory under the name `foo`?
 - a. `cp ../etc/passwd ../me/foo`
 - b. `cp ../../etc/passwd /me/foo`
 - c. `cp ../etc/passwd ./me/foo`
 - d. `cp ../me/./etc/passwd ../home/me/foo`
 - e. `cp ../home/me/./etc/passwd ./me/./foo`
3. If you type the command `sort` which of the following key sequences will send an EOF and take you immediately back to the command prompt?
 - a. `[CTRL-R]`
 - b. `[CTRL-C]`
 - c. `[CTRL-U]`
 - d. `[CTRL-L]`
 - e. `[CTRL-D]`
4. In an empty directory, how many words are in file `pig` after this command line?


```
touch pig pig ; ls >pig
```

 - a. 1
 - b. 4
 - c. 3
 - d. 2
 - e. empty file (no data)
5. In an empty directory, how many words are in file `out` after this `bash` shell command line?


```
touch 1 2 3 2 1 ; ls >out
```

 - a. 4
 - b. no output (empty file)
 - c. 5
 - d. 6
 - e. 3

6. In the output of the command `ls -a`, the one-character name `.` signifies what?
 - a. A name that is hidden.
 - b. A current file.
 - c. The current directory.
 - d. A name with an unprintable character.
 - e. The parent directory.
7. What is the output on your screen of this command sequence:


```
echo dog >one ; echo cow | head -2 one
```

 - a. `cow`
 - b. an error message
 - c. `cow` followed by `dog`
 - d. `dog` followed by `cow`
 - e. `dog`
8. What appears on your screen after this bash shell command line?


```
echo hi >out | wc -c
```

 - a. no output on screen
 - b. 1
 - c. 3
 - d. 0
 - e. 2
9. If my current working directory is `/home`, and my home directory is `/home/me`, which of the following commands copies the Unix password file into my home directory under the name `foo`?
 - a. `cp me/../../etc/passwd me/foo`
 - b. `cp ../etc/passwd ../me/foo`
 - c. `cp ../../etc/passwd /me/foo`
 - d. `cp ../home/me/./etc/passwd ./me/./foo`
 - e. `cp ../me/./etc/passwd ../home/me/foo`
10. What is in the file `bar` after this command sequence:


```
echo hi >x ; echo ho >x ; mv x y >bar
```

 - a. nothing - empty file - no data
 - b. no such file (nonexistent)
 - c. `hi`
 - d. `ho`
 - e. `hi` followed by `ho`
11. In the output of the command `ls -a`, a dot that begins a name signifies what?
 - a. A name that is hidden.
 - b. A current file.
 - c. A name with an unprintable character.
 - d. The current directory.
 - e. The parent directory.
12. If file `/a` contains 30 lines, and file `/b` contains 50 lines, then how many lines are in file `/c` after this sequence of shell commands:


```
cat /a /b >c ; sort /c >c ; sort /c /a /b >c
```

 - a. 160
 - b. 80
 - c. 50
 - d. 30
 - e. no lines (empty file)

13. Which command line finds all possible utilities available for compiling programs?
- `grep /etc/* compile`
 - `man * | grep compile`
 - `man compile`
 - `grep compile /etc/*`
 - `man -k compile`
14. If I am in my home directory named `/home/me` and `x` is an empty sub-directory, what is true after this command line:
- ```
touch ./x/fil ; mv x/./fil x/../../me/./y
```
- the directory `x` now contains only a file named `y`
  - there is a second copy of the file `fil` in the file named `y`
  - the directory `x` is still empty
  - the command fails because the path `x/../../me` does not exist
  - the command fails because the path `x/./fil` does not exist
15. What is the output on your screen of this shell command line in an empty directory?
- ```
touch .a .b .c ; echo .*
```
- `. . . .a .b .c`
 - no output on screen
 - an error message from `echo` saying `.*` does not exist
 - `.a .b .c`
 - `.*`
16. What appears on your screen after this bash shell command line?
- ```
echo hi | wc
```
- `1 1 2`
  - `1 2 1`
  - `2 1 1`
  - `1 1 3`
  - no output on screen
17. If file `foo` contains nine lines, each of which is the one-digit line number of the line in the file (1 through 9), what is the output on your screen of this command:
- ```
cat foo foo | sort -r | head -4 | tail -1
```
- `9`
 - `7`
 - `6`
 - `8`
 - `5`
18. What is the output on your screen of this shell command line in an empty directory?
- ```
ls *
```
- `*`
  - `. ..`
  - `.`
  - no output on screen
  - an error message from `ls` saying `*` does not exist
19. How many lines are in the file `bar` after this command sequence:
- ```
echo hi >x ; echo ho >>x ; cat x x >bar
```
- `2`
 - `1`
 - `6`
 - nothing - empty file - no data
 - `4`

20. If file `/a/b` contains 99 lines, each of which is the two-digit line number of the line in the file (01 through 99), what is the output on your screen of this command:
- ```
sort /a/b /a/b | tail -4 | head -1
```
- `96`
  - `98`
  - `04 04`
  - `96 96`
  - `01 01`
21. Which command line displays all the non-hidden names in the current directory that contain the letter `x` (and no others)?
- `echo [*x*]`
  - `echo ?x?`
  - `echo *x`
  - `echo x*`
  - `echo *x*`
22. If `/etc/passwd` is a file name, which pathname always leads to the same file?
- `/etc/passwd/.`
  - `/etc/../../passwd`
  - `/etc/passwd/../../.`
  - `../etc/passwd`
  - `./etc/passwd`
23. What is the output on your screen of this successful command sequence?
- ```
cd /tmp ; mkdir foo ; mkdir bar ; pwd
```
- `/tmp/foo/bar`
 - `/bar`
 - `/tmp`
 - `/tmp/foo`
 - `/tmp/bar`
24. What is the output on your screen of the following sequence of commands:
- ```
echo hi >wc ; wc wc >hi ; cat hi
```
- no output on screen
  - `1 1 2 wc`
  - `0 0 0 wc`
  - `hi`
  - `1 1 3 wc`
25. What would you see if you typed this command: `cat /users`
- The contents of your subdirectory named `users`
  - The contents of the file `users` located in the root directory
  - The contents of the file `users` located in the parent directory
  - The contents of your directory named `users`
  - The contents of the file `users` located in your home directory
26. If I am in my home directory named `/home/myhome` and `dir` is an empty sub-directory, what is true after this command line:
- ```
touch new ; mv ./dir/./new ../myhome/old
```
- the directory `dir` now contains only a file named `old`
 - the command fails because the path `../myhome/old` does not exist
 - the parent directory of `dir` now has a file named `old` in it
 - the command fails because the path `./dir/./new` does not exist
 - there is a second copy of the file `new` in the file named `old`

27. How many lines are in file **out** after this command line?
`echo hi >dog >out >cat`
- 2
 - no such file (file does not exist)
 - nothing - empty file - no data
 - 1
 - 3
28. Which command pipeline outputs the count of the number of pathnames (including all subdirectories) that lie under the `/etc` directory?
- `ls /etc | wc`
 - `find /etc | wc`
 - `ls /etc ; wc`
 - `dir /etc | count`
 - `man /etc ; wc`
29. Which of these statements is true?
- To indicate End-of-File (no more input) to a program, type `[CONTROL]-[D]`.
 - To erase an entire line of typing, type `[ALT]-[DELETE]`.
 - Command **apropos** is an exact synonym for command **man**.
 - The **file** command creates a new, empty file in the current directory
 - To interrupt a Unix process from the keyboard, type `[CONTROL]-[D]`.
30. Given an existing file of yours named `/a/b/x`, what is the output on your screen of this sequence of three shell commands:
`echo hi >/a/b/x ; wc /a/b/x >/a/b/x ; cat /a/b/x`
- 1 1 2 /a/b/x
 - 1 1 3 /a/b/x
 - 1 1 1 /a/b/x
 - no output on screen
 - 0 0 0 /a/b/x
31. What is in the file **out** after this command sequence:
`echo hi >x ; echo ho >>x ; cp x y >out`
- ho
 - nothing - empty file - no data
 - hi
 - hi followed by ho
 - no such file (nonexistent)
32. If file `/a` contains 30 lines, and file `/b` contains 50 lines, then how many lines are output on your screen by this command: `cat /a | sort /b`
- 30
 - 80
 - 20
 - no lines (empty file)
 - 50
33. Which of the following statements is true about this shell command line:
`>/a/b/c cat /a/b/d`
- The command `/a/b/c` sees two arguments.
 - The command `cat` sees two arguments.
 - The command is always invalid.
 - The command `cat` sees only one argument.
 - The command `/a/b/c` sees only one argument

34. What is the output on your screen of this shell command line in an empty directory?
`touch 1 2 3 .a .ab .abc ; echo [.]*`
- an error message from **echo** saying `[.]*` does not exist
 - `[.]*`
 - no output on screen
 - `.a .ab .abc`
 - `. . . .a .ab .abc`
35. What appears on your screen after this bash shell command line?
`mkdir foo ; rmdir foo | wc -c`
- 1
 - no output on screen
 - 4
 - 3
 - 0
36. What is in the file **cow** after this command line:
`echo a >a ; echo b >b ; mv a b >cow`
- a followed by b
 - no such file (nonexistent)
 - a
 - nothing - empty file - no data
 - b
37. If `/bin/bash` is a file name, which pathname always leads to the same file?
- `/bin/./bash`
 - `/bin/bash/.`
 - `././bin/./bash`
 - `/bin/bin/./bash`
 - `./././bin/bash`
38. If file **nine** contains nine lines, each of which is the one-digit line number of the line in the file (1 through 9), what is the output on your screen of this command:
`sort nine nine | tail -5 | head -1`
- 7
 - 1
 - 1 1
 - 9
 - 5 5
39. How many command arguments does the shell pass to this **echo** command:
`echo 1 2 3 4 >5`
- 6
 - 4
 - 5
 - 7
 - 3
40. What is in the file **x** after this command sequence:
`echo foo >a ; rm b ; echo bar >>b ; cp a b >x`
- foo followed by bar
 - bar
 - foo
 - no such file (nonexistent)
 - nothing - empty file - no data
41. If directory **cow** contains only these four three-character file names: **.AA**, **.A1**, **.BB**, **.B.**, then what is the output on your screen of this command line:
`echo cow/*`
- `cow/.B.`
 - no output on screen
 - `cow/.AA cow/.A1 cow/.BB cow/.B.`
 - `cow/*`
 - `cow/.AA cow/.A1 cow/.BB`

42. If **cow** is a sub-directory that contains only the file **dog**, what happens after this command: **mv cow/dog cow/././cat**
- the directory **cow** is now empty
 - the command fails because the name **cat** does not exist
 - there is a second copy of the file **dog** in the file named **cat**
 - the command fails because the name **cow/././cat** does not exist
 - the directory **cow** now contains only a file named **cat**
43. What is in file **out** after running this bash shell command line?
echo a >out b c
- b c**
 - no output on screen
 - echo a**
 - a**
 - a b c**
44. What command shows all the lines in file **/etc/group** that contain the string **idallen**?
- grep idallen /etc/group**
 - cat /etc/group ; grep idallen**
 - grep /etc/group idallen**
 - cat /etc/group | wc idallen**
 - grep idallen ; /etc/group**
45. What is in the file named **file** after this command sequence:
echo a >c ; echo b >>c ; mv c d >file
- a** followed by **b**
 - b**
 - nothing - **file** is empty - no data
 - no such file (nonexistent file)
 - a**
46. Which of the following shell command lines displays **all** the names in the current directory that are exactly three digits long (and no others)?
- echo ???**
 - echo [3][3][3]**
 - echo [?][?][?]**
 - echo [0-9][0-9][0-9]**
 - echo [1-3][1-3][1-3]**
47. If file **/a** contains 40 lines, and file **/b** contains 60 lines, then how many lines are output on your screen by this command:
sort /a /b | cat /a | cat /b
- 40**
 - 100**
 - 200**
 - 60**
 - 160**
48. How can you ask the **bash** (Linux) shell to complete commands or file names for you?
- Type **[CONTROL]-[ALT]-[DEL]** and the shell will present a menu of commands.
 - You can type the first part of the command or file name and press the **TAB** key.
 - Type **[CONTROL]-[D]** and the shell will present a menu of commands.
 - Type **[ALT]-[F2]** the shell will present a menu of commands.
 - You can type the first part of the command or file name and press the **ALT** key.

49. If file **nine** contains nine lines, each of which is the one-digit line number of the line in the file (**1** through **9**), what is the output on your screen of this command:
sort nine nine nine | tail -3 | head -1
- 1 1 1**
 - 9**
 - 7 7 7**
 - 8**
 - 7**
50. If file **ten** contains 10 lines, and file **twenty** contains 20 lines, then how many lines are output on your screen by this command: **cat twenty | sort ten**
- no lines (no output)
 - 20**
 - 10**
 - 60**
 - 30**
51. What is the output on your screen of this shell command line in an empty directory?
touch .a .b .c ; echo .??*
- no output on screen
 - .a .b .c**
 - .??***
 -a .b .c**
 - an error message from **echo** saying **.??*** does not exist
52. If file **foo** contains ninety-nine lines, each of which is the two-digit line number of the line in the file (**01** through **99**), what is the output on your screen of this command: **sort -r foo foo | tail -4 | head -1**
- 96 96**
 - 04 04**
 - 98**
 - 96**
 - 02**
53. Which of the following VI/VIM key sequences will move the entire line on which the cursor resides to after the line that follows it (i.e. it would move line 5 to be line 6 and line 6 would become line 5)?
- DDP**
 - ddp**
 - :dp**
 - ddP**
 - DDp**
54. What is the output on your screen of this sequence of three shell commands:
echo hi >wc ; ls wc >wc ; wc wc
- no output on screen
 - 0 0 0 wc**
 - 1 1 2 wc**
 - 1 1 3 wc**
 - 2 2 4 wc**
55. Which command sequence below outputs only lines 5-10 of the file named **foo**?
- head -10 foo | tail -6**
 - tail -15 foo | head -5**
 - tail -10 foo | head -6**
 - head -15 foo | tail -5**
 - head -5 foo | tail -10**
56. If my current directory is **/usr**, which of these pathnames is equivalent to the pathname **/usr/x/y/z**?
- x/./y/z**
 - ./usr/x/y/z**
 - ../usr/y/z**
 - ../x/y/z**
 - /x/y/z**

57. Which command line below does not show any lines from inside the file **dog**?
- `sort -r dog`
 - `tail -8 dog`
 - `ls dog`
 - `less dog`
 - `head -3 dog`
58. If my current directory is **/home**, which of these pathnames is equivalent to the pathname **/home/a/b/c**?
- `../home/b/c`
 - `./a/b/c`
 - `../a/b/c`
 - `./home/a/b/c`
 - `/a/b/c`
59. If file **nine** contains nine lines, each of which is the one-digit line number of the line in the file (1 through 9), what is the output on your screen of this command:
`sort nine nine | tail -4 | head -1`
- 6 6
 - 8
 - 4 4
 - 1 1
 - 6
60. Which command pipeline outputs the count of the number of userids containing the string **allen** that are currently logged in?
- `who | wc allen | grep`
 - `who | grep allen | wc`
 - `who | grep | allen wc`
 - `grep allen | wc | who`
 - `grep allen | who | wc`
61. Which command line takes the list of users currently logged in to the machine and displays just the one line containing the userid that sorts first in the alphabet?
- `sort who | tail -1`
 - `sort | who | head -1`
 - `who | sort -r | tail -1`
 - `head -1 who | sort`
 - `head -1 sort who`
62. How can you ask the **bash** (Linux) shell to complete commands or file names for you?
- You can type the first part of the command or file name and press the **ALT** key.
 - Type **[CONTROL]-[D]** and the shell will present a menu of commands.
 - Push key **F1** and the system will present a menu of commands.
 - You can type the first part of the command or file name and press the **TAB** key.
 - Type **[CONTROL]-[C]** and the shell will present a menu of commands.
63. What is the output on your screen of this shell command line in an empty directory?
`echo ?`
- .
 - ..
 - ?
 - an error message from **echo** saying **? does not exist**
 - no output on screen

64. In an empty directory, what appears on your screen after this bash command line?
`touch a ; ls >wc -l`
- 1
 - 2
 - 3
 - no output on screen
 - 0
65. In an empty directory, how many words are in file **cow** after this **bash** shell command line?
`touch dog dog cat ; ls >cow`
- 1
 - 4
 - 2
 - 3
 - no output (empty file)
66. What appears on your screen after this bash shell command line?
`echo hi >a ; cat a | wc -c`
- no output on screen
 - 4
 - 3
 - 1
 - 2
67. If my current directory is **/bin**, which of these pathnames is equivalent to the file name **/bin/ls**?
- `ls/.`
 - `./bin/ls`
 - `../../bin/ls`
 - `../bin/ls/.`
 - `/root/bin/ls`
68. Which of these command sequences will make file **out** contain all of the content of file **in1** followed by all of the content of file **in2**?
- `echo in1 in2 >out`
 - `cp in1 >out in2 >out`
 - `mv in1 in2 >out`
 - `cp in1 in2 >out`
 - `cat in1 in2 >out`
69. What command shows all the lines in file **foo** that contain the string **group**?
- `grep foo group`
 - `cat foo | wc group`
 - `grep group ; foo`
 - `grep group foo`
 - `cat foo ; grep group`
70. If file **foo** contains nine lines, each of which is the one-digit line number of the line in the file, (1 through 9), what is the output on your screen of this command:
`cat foo foo | sort | tail -4 | head -1`
- 6
 - 8
 - no output on screen
 - 1
 - 4
71. Which command shows the name of the current computer:
- `hostname`
 - `du`
 - `w`
 - `who`
 - `ifconfig`

72. Which of the following shell command lines displays only the names in the current directory that are exactly three alphabetic letters long?
- `echo [a-zA-Z][a-zA-Z][a-zA-Z]`
 - `echo [?][?][?]`
 - `echo ***`
 - `echo [0-3][0-3][0-3]`
 - `echo ???`
73. If directory `/dir` contains these three four-character file names: `.123`, `.124`, `.???`, then what is the output on your screen of the following command line:
- ```
echo /dir/????
```
- `/dir/.123 /dir/.124 /dir/.???`
  - `echo: /dir/????: No such file or directory`
  - `/dir/????`
  - `/dir/.123 /dir/.124`
  - no output on screen
74. What would you see if you typed this command: `cat /foo`
- The contents of your directory named `foo`
  - The contents of the file `foo` located in the root directory
  - The contents of the file `foo` located in the parent directory
  - The contents of your subdirectory named `foo`
  - The contents of the file `foo` located in your home directory
75. What is true about this bash shell command line?
- ```
date >ls ; ls -ls ls >wc
```
- The `wc` command counts the output of the `ls` command.
 - The shell finds and executes three different commands.
 - The file `wc` has one line in it.
 - The `ls` command receives the output of `date` on standard input.
 - The `ls` command is executed more than once.
76. If directory `/a/b` contains these four three-character file names: `.aa`, `.ab`, `.a?`, `.a*`, then what is the output on your screen of the following `bash` shell command line: `echo /a/b/???`
- no output on screen
 - `/a/b/.aa /a/b/.ab`
 - `/a/b/.a?`
 - `/a/b/???`
 - `/a/b/.aa /a/b/.ab /a/b/.a? /a/b/.a*`
77. In an empty directory, how many arguments are passed to the `cat` command in this `bash` command line? `date >a1 ; touch a2 ba ca ; cat a*`
- 4
 - 2
 - 3
 - none
 - 1

78. How many lines are in the file `out` after this command sequence:
- ```
echo hi >out ; echo ho >out ; cat out out >out
```
- 1
  - 6
  - nothing - empty file - no data
  - 2
  - 3
79. Which command pipeline outputs the count of the number of pathnames that lie under the current directory and recursively under all its subdirectories?
- `file . | wc`
  - `dir / | wc`
  - `find . | wc`
  - `ls . | wc`
  - `ls / | wc`
80. What command shows all the lines in file `foo` that contain the string `bar`?
- `grep bar >foo`
  - `grep cat foo bar`
  - `grep bar foo`
  - `grep foo bar`
  - `cat foo > grep bar`
81. If you type the command `echo 'missing quote` which of the following key sequences will interrupt it and take you immediately back to the command prompt?
- `[CTRL-R]`
  - `[CTRL-U]`
  - `[CTRL-C]`
  - `[CTRL-L]`
  - `[CTRL-D]`
82. What appears on your screen after this command line?
- ```
mkdir xx ; rmdir xx | wc -c
```
- 0
 - 2
 - 1
 - 3
 - no output on screen
83. Given an existing file of yours named `wc`, what is the output on your screen of this sequence of three shell commands:
- ```
echo hi >wc ; sort wc >wc ; cat wc
```
- no output on screen
  - `1 1 2 wc`
  - `0 0 0 wc`
  - `2 2 4 wc`
  - `1 1 3 wc`
84. How do I change "foo" to "bar" on lines 25 to 30 in the `vim` editor?
- `:25,30s/foo/bar/`
  - `:25,30 change "foo" "bar"`
  - `:25-30 change "foo","bar"`
  - `:25s/foo/bar/*5`
  - `:25c foo bar *5`
85. In an empty directory, how many arguments are passed to the `rm` command in this `bash` command line? `date >a1 ; touch a2 ba ca >all ; rm a*`
- 4
  - 3
  - 1
  - none
  - 2

86. What is the output on your screen of this successful command line?  
`cd /home/myhome ; mkdir foo ; mkdir bar ; pwd`  
 a. /home/myhome/foo/bar            d. /home/myhome/bar  
 b. /bar                                e. /home/myhome  
 c. /home/myhome/foo
87. If file **foo** contains nine lines, each of which is the one-digit line number of the line in the file (1 through 9), what is the output on your screen of this command:  
`cat foo foo | cat | tail -5 | head -1`  
 a. 7                                    c. 5                                    e. 6  
 b. 8                                    d. 9
88. How many lines are in the file **out** after this command sequence:  
`echo hi >x ; echo ho >>x ; cat x x x >out`  
 a. nothing - empty file - no data    d. 2  
 b. 6                                    e. 1  
 c. 3
89. Which of these command sequences will make file **foo** contain all of the content of file **a** followed by all of the content of file **b**?  
 a. `echo a b >foo`  
 b. `mv a b >foo`  
 c. `cp a >foo ; cp b >>foo`  
 d. `cp a b >foo`  
 e. `cat a >foo ; cat b >>foo`
90. What text is output by this **bash** shell command sequence:  
`echo cow >foo ; echo dog | head -1 foo`  
 a. dog followed by cow                d. foo  
 b. cow                                 e. dog  
 c. cow followed by dog
91. What appears on your screen after this command line?  
`echo hi >ls ; cat ls >wc`  
 a. no output on screen                d. hi  
 b. 1 1 3                                e. ls  
 c. 1 1 2
92. What is the output on your screen of this shell command line in an empty directory?  
`cat *`  
 a. no output on screen  
 b. an error message from **cat** saying **\*** does not exist  
 c. .  
 d. . ..  
 e. \*

93. What is the output on your screen of this command sequence:  
`echo bat >one ; echo sky | head -2 one`  
 a. sky followed by bat                d. an error message  
 b. sky                                 e. bat  
 c. bat followed by sky
94. Which command line finds all possible utilities available for compiling programs?  
 a. `man * | grep compile`                d. `grep /etc/* compile`  
 b. `apropos compile`                    e. `man compile`  
 c. `grep compile /etc/*`
95. If file **twenty** contains 20 lines, and file **thirty** contains 30 lines, then how many lines are output on your screen by this command:  
`tail twenty | cat thirty`  
 a. 30                                    d. 20  
 b. 40                                    e. 50  
 c. no output on screen
96. Which of these statements is true?  
 a. You can only login to Unix once per userid; you cannot be logged in to the same machine twice.  
 b. Unix commands must be entered in lower-case letters.  
 c. To indicate End-of-File (no more input), type [CONTROL]-[E].  
 d. Unix commands can be entered in upper-case or lower-case letters; they are equivalent.  
 e. To erase an entire line of typing, type [CONTROL]-[E].
97. What appears on your screen after this bash shell command line?  
`echo hi >a ; echo a | wc -c`  
 a. 2                                     d. 1  
 b. no output on screen                e. 3  
 c. 4
98. If you type the command `grep pattern` which of the following key sequences will send an EOF and take you immediately back to the command prompt?  
 a. [CTRL-R]                            c. [CTRL-C]                            e. [CTRL-U]  
 b. [CTRL-D]                            d. [CTRL-L]
99. What is the output on your screen of this shell command line in an empty directory?  
`touch .1 .2 .3 4 5 6 ; echo .*`  
 a. an error message from **echo** saying **.\*** does not exist  
 b. .1 .2 .3 4 5 6  
 c. 4 5 6  
 d. .\*  
 e. . . . .1 .2 .3

100. What appears on your screen after this bash shell command line?  
`echo hi >a ; cp a b | wc -c`
- 0
  - 3
  - no output on screen
  - 1
  - 2
101. Which of these commands always returns you to your account home directory?
- `cd`
  - `cd ..`
  - `cd /home/..`
  - `cd home`
  - `cd /home`
102. What would you see if you typed this command: `cat /users`
- The contents of your directory named `users`
  - The contents of your subdirectory named `users`
  - The contents of the file `users` located in the parent directory
  - The contents of the file `users` located in your home directory
  - The contents of the file `users` located in the root directory
103. In an empty directory, how many arguments are passed to the `wc` command in this command line? `date >o1 ; touch a1 b2 out >o1 ; wc o*`
- 5
  - 4
  - 3
  - 2
  - 1
104. What appears on your screen after this bash shell command line?  
`echo hi >a ; ls a | wc -c`
- 3
  - 2
  - 1
  - no output on screen
  - 4
105. If my current directory is `/home`, which of these pathnames is equivalent to the pathname `/home/a/b/c`?
- `../home/b/c`
  - `./home/a/b/c`
  - `../a/b/c`
  - `/a/b/c`
  - `../home/a/b/c`
106. If you type the command `sort verybigfile >out` which of the following key sequences will interrupt it and take you immediately back to the command prompt?
- `[CTRL-U]`
  - `[CTRL-R]`
  - `[CTRL-C]`
  - `[CTRL-D]`
  - `[CTRL-L]`
107. What is in file `two` after running this command line?  
`echo one >two three four`
- `three four`
  - `one three four`
  - `one`
  - `echo one`
  - empty file (no data)

108. If `/bin/bash` is a file name, which pathname always leads to the same file?
- `../../../../bin/bash`
  - `./bin/bash`
  - `/bin/./bash`
  - `/bin/bash/.`
  - `/bin/bash/..`
109. Which of the command lines below can generate a non-empty file?
- `head -1 file >file`
  - `ls -l file >file`
  - `sort -r file >file`
  - `cat file >file`
  - `grep pattern file >file`
110. What command shows all the lines in file `/etc/group` that contain the string `idallen`?
- `grep /etc/group idallen`
  - `cat /etc/group > grep idallen`
  - `grep idallen >/etc/group`
  - `grep idallen /etc/group`
  - `cat /etc/group | wc idallen`
111. If file `/a` contains 20 lines, and file `/b` contains 30 lines, then how many lines are in file `/c` after this sequence of shell commands:  
`sort /a /b >/c ; cat /a >>/b ; sort /c /b /a >/c`
- 120
  - 80
  - no lines (empty file)
  - 70
  - 50
112. If my current directory is `/etc`, which of these pathnames is equivalent to the file name `/etc/passwd`?
- `/passwd`
  - `./passwd`
  - `../passwd`
  - `../etc/passwd/.`
  - `./etc/passwd`
113. If file `x` contains 10 lines, and file `y` contains 20 lines, then how many lines are in file `cat` after this command line:  
`sort x y >z ; tail -5 x >x ; sort x y z >cat`
- no lines (empty file)
  - 40
  - 50
  - 60
  - 55
114. If file `a` contains 20 lines, and file `b` contains 30 lines, then how many lines are in file `out` after this sequence of `bash` shell commands:  
`cat a b >c ; head c >c ; sort a b c >out`
- no lines (empty file)
  - 100
  - 50
  - 30
  - 60



115. If file **foo** contains nine lines, each of which is the one-digit line number of the line in the file (1 through 9), what is the output on your screen of this command:  
`cat foo foo | sort -r | head -5 | tail -1`  
 a. 7                    c. 8                    e. 6  
 b. 5                    d. 9
116. What is the output on your screen of this sequence of three shell commands:  
`echo x >abc ; ls >abc abc ; wc abc`  
 a. 1 1 2 abc                    d. no output on screen  
 b. 0 0 0 abc                    e. 1 1 4 abc  
 c. 1 1 3 abc
117. What appears on your screen after this bash shell command line?  
`echo cow | wc`  
 a. no output on screen                    d. 1 1 3  
 b. 1 1 4                    e. 1 3 1  
 c. 3 1 1
118. What is in file **out** after running this **bash** shell command line?  
`echo 2 3 >out 3 0`  
 a. 2 3 3 0                    d. 2 3 0  
 b. 2 3 >out 3 0                    e. 2 3  
 c. no output (empty file)
119. If you type the command `sleep 60` which of the following key sequences will interrupt it and take you immediately back to the command prompt?  
 a. [CTRL-R]                    c. [CTRL-C]                    e. [CTRL-U]  
 b. [CTRL-D]                    d. [CTRL-L]
120. If **foo** is a sub-directory that contains only the file **single**, what happens after this command: `mv ./foo/single foo/./double`  
 a. there is a second copy of the file **single** in the file named **double**  
 b. the directory **foo** now contains only a file named **double**  
 c. the command fails because the name **foo/./double** does not exist  
 d. the command fails because the name **double** does not exist  
 e. the directory **foo** is now empty
121. What is the output on your screen of this shell command line in an empty directory?  
`touch .12 .345 .6789 ; echo .??*`  
 a. .12 .345 .6789  
 b. an error message from **echo** saying `.??*` does not exist  
 c. no output on screen  
 d. .??\*  
 e. . . .12 .345 .6789

122. What appears on your screen after this bash shell command line?  
`echo hi | wc -c`  
 a. 3                    d. 2  
 b. no output on screen                    e. 1  
 c. 0
123. If you type the command `head` which of the following key sequences will send an EOF and take you immediately back to the command prompt?  
 a. [CTRL-L]                    c. [CTRL-R]                    e. [CTRL-U]  
 b. [CTRL-D]                    d. [CTRL-C]
124. Which of these command lines will make file **cow** contain all of the content of file **one** followed by all of the content of file **two**?  
 a. `cat one two >cow`  
 b. `cp one >cow two >cow`  
 c. `mv one two >cow`  
 d. `echo one two >cow`  
 e. `cp one two >cow`
125. Given an existing file of yours named **/a/x**, what is the output on your screen of this sequence of three shell commands:  
`echo hi >/a/x ; sort /a/x >/a/x ; wc /a/x`  
 a. 1 1 3 /a/x                    d. 1 1 2 /a/x  
 b. 0 0 0 /a/x                    e. no output on screen  
 c. 2 2 4 /a/x
126. What is in file **cow** after running this **bash** shell command line?  
`echo one two >cow three`  
 a. no output (empty file)                    d. echo one two  
 b. one two three                    e. one two  
 c. one two cow three
127. How many lines are in the file **out** after this command sequence:  
`echo hi >x ; echo ho >x ; cat x x x >out`  
 a. 3                    d. 2  
 b. 1                    e. nothing - empty file - no data  
 c. 6
128. Which command line displays the contents of the Unix **passwd** file one page at a time?  
 a. `/etc/passwd | less`  
 b. `cat less | /etc/passwd`  
 c. `cat /etc/passwd less`  
 d. `/etc/passwd cat less`  
 e. `less /etc/passwd`

129. Which of the following statements is true about this shell command line:

```
>bar zoom bar haven
```

- The command **bar** sees only two arguments
- The command **zoom** sees three arguments.
- The command **zoom** sees two arguments.
- The command **bar** sees three arguments.
- Error: The command name is missing from the command line.

130. If file **nine** contains nine lines, each of which is the one-digit line number of the line in the file (1 through 9), what is the output on your screen of this command:

```
cat nine nine | sort -r | head -4 | tail -1
```

- 9
- 6
- 7
- 8
- 5

131. What is the output on your screen of this successful command sequence?

```
cd /home/foo ; touch dir ; mkdir bar ; pwd
```

- /home/foo
- /home/foo/dir
- /home/foo/bar
- /home/foo/dir/bar
- /bar

132. In an empty directory, how many arguments are passed to the **cat** command in this **bash** command line? `touch a1 a2 ac ba .a ; cat a*`

- 1
- 2
- 3
- 4
- none

133. How many command arguments does the shell pass to this **echo** command:

```
echo one two three >four five
```

- Six arguments.
- Four arguments.
- Three arguments.
- Two arguments.
- Five arguments.

134. If my current working directory is **/home**, and my home directory is **/home/xx**, which of the of the following commands copies the Unix password file into my home directory under the name **foo**?

- `cp xx/../../etc/passwd xx/foo`
- `cp xx/../../etc/passwd ../home/xx/foo`
- `cp ../../etc/passwd /xx/foo`
- `cp ../home/xx/../../etc/passwd ./xx/./foo`
- `cp ../etc/passwd ../xx/foo`

135. What is the output on your screen of this successful command sequence?

```
cd /home/dir ; mkdir one ; mkdir two ; pwd
```

- /home/dir
- /home/dir/one
- /two
- /home/dir/one/two
- /home/dir/two

136. In an empty directory, what appears on your screen after this bash command line?

```
touch a ; ls | wc -l
```

- 0
- 2
- 1
- 3
- no output on screen

137. In an empty directory, how many words are in file **out** after this bash shell command line? `touch a ; ls >out`

- 1
- 2
- 4
- no output (empty file)
- 3

138. If file **x** contains 10 lines, and file **y** contains 20 lines, then how many lines are in file **cat** after this sequence of **bash** shell commands:

```
sort x y >z ; tail -5 y >y ; sort x y z >cat
```

- 40
- 60
- 45
- no lines (empty file)
- 50

139. What is the output on your screen of this shell command line in an empty directory?

```
touch a .a bc .bc def ; echo [ab]*
```

- an error message from **echo** saying **[ab]\*** does not exist
- [ab]\***
- a bc**
- no output on screen
- a .a bc .bc**

140. What is the output on your screen of this shell command line in an empty directory?

```
touch 1 2 3 .a .b .c ; echo .??*
```

- .. .a .b .c**
- .??\***
- an error message from **echo** saying **.??\*** does not exist
- .. 1 2 3 .a .b .c**
- .a .b .c**

141. Which command sequence below outputs only lines 10-15 of the Unix password file?

- `tail -15 /etc/passwd | head -10`
- `head -15 /etc/passwd | tail -5 /etc/passwd`
- `tail -10 /etc/passwd | head -15 /etc/passwd`
- `head -10 /etc/passwd | tail -15 /etc/passwd`
- `head -15 /etc/passwd | tail -6`

142. What appears on your screen after this sequence of commands:

```
echo one >x ; cp x y ; echo two >>y ; sort x >y ; cat y
```

- one**
- two** followed by **one**
- one** followed by **two**
- empty file - no output on the screen
- two**

143. What appears on your screen after this bash shell command line?  
`echo hi >a ; ls a > wc`
- 1 1 3
  - no output on screen
  - 3
  - 1 1 2
  - 2
144. If file **nine** contains nine lines, each of which is the one-digit line number of the line in the file (1 through 9), what is the output on your screen of this command:  
`sort nine nine nine | tail -3 | head -1`
- 8
  - 1 1 1
  - 7
  - 7 7 7
  - 9
145. What is the output on your screen of this sequence of this command sequence:  
`echo hi >hi ; head hi >hi ; wc hi`
- 1 1 2 hi
  - 2 2 4 hi
  - 0 0 0 hi
  - no output on screen
  - 1 1 3 hi
146. What is the output on your screen of this shell command line in an empty directory?  
`touch .a .b .c ; echo [.]*`
- no output on screen
  - an error message from **echo** saying `[.]*` does not exist
  - `. . . .a .b .c`
  - `[.]*`
  - `.a .b .c`
147. How many lines are in the file **bar** after this command line:  
`echo hi >x ; echo ho >>x ; cat x >bar`
- 1
  - nothing - empty file - no data
  - 2
  - 4
  - 6
148. Which of the command lines below can generate a non-empty file?
- `tail /a/b >/a/b`
  - `sort /a/b >/a/b`
  - `wc -l /a/b >/a/b`
  - `head -5 /a/b >/a/b`
  - `cat /a/b /a/b /a/b >/a/b`
149. Which command pipeline outputs the count of the number of manual page titles that contain the keyword "sort"?
- `man -k sort | wc`
  - `man sort ; wc`
  - `wc -k sort`
  - `wc man sort`
  - `man sort | wc`

150. If I am in my home directory named **/home/ian** and **mt** is an empty sub-directory, what is true after this command line:  
`touch ../ian/cat ; cp ../mt/./cat ../mt/./dog`
- the directory **mt** now contains two files
  - the file named **cat** is now renamed to be **dog**
  - the command fails because the path `../mt/./cat` does not exist
  - the directory **mt** is still empty
  - the directory **mt** now has a file named **dog** in it
151. If **/etc/passwd** is a file name, which pathname always leads to the same file?
- `/etc/passwd/./.`
  - `/etc/passwd/../../../../.`
  - `../../../../etc/./passwd`
  - `/etc/../../../../passwd`
  - `../etc/passwd`
152. If file **foo** contains nine lines, each of which is the one-digit line number of the line in the file (1 through 9), what is the output on your screen of this command:  
`cat foo foo | cat | tail -4 | head -1`
- 7
  - 8
  - 9
  - 5
  - 6
153. Which command line below never shows any lines from inside the file **cow**?
- `wc -l cow`
  - `sort -r cow`
  - `head -1 cow`
  - `tail -8 cow`
  - `grep pattern cow`
154. What is the output on your screen of this shell command line in an empty directory?  
`touch 1 .1 23 .23 456 ; echo [12]*`
- 1 23
  - `[12]*`
  - 1 .1 23 .23 456
  - 1 .1 23 .23
  - an error message from **echo** saying `[12]*` does not exist
155. What can you do to get back (redo) the last command you typed to the bash shell?
- Use the "UpArrow" key.
  - Type `[CONTROL]-[ALT]-[UP]`
  - Type `[ALT]-[F2]`
  - Type the **k** key.
  - Use the "PageUp" key.
156. How many lines are in file **out** after this bash shell command line?  
`echo hi >dog >cat >out`
- 1
  - 3
  - nothing - empty file - no data
  - 2
  - no such file (file does not exist)

157. If you type the command `cat` which of the following key sequences will send an EOF and take you immediately back to the command prompt?
- `[CTRL-C]`
  - `[CTRL-R]`
  - `[CTRL-D]`
  - `[CTRL-U]`
  - `[CTRL-L]`
158. What is the possible output on your screen of this command line:  
`echo wc >date ; sort date >date ; cat date`
- `1 6 29 date`
  - `wc`
  - `Tue Feb 5 10:01:35 EST 2008`
  - no output on screen
  - `1 6 28 date`
159. If I am in my home directory named `/home/idallen` and `empty` is an empty sub-directory, what is true after this command line:  
`touch ./pig ; mv ./empty/./pig ../idallen/cow`
- the directory `empty` now contains only a file named `cow`
  - the command fails because path `./empty/./pig` does not exist
  - there is a second copy of the file `pig` in the file named `cow`
  - the directory `empty/..` now has a file named `cow` in it
  - the command fails because path `../idallen/cow` does not exist
160. In an empty directory, how many arguments are passed to the `rm` command in this `bash` command line? `touch 2a a a1 ba ca .a ; rm a*`
- 4
  - 1
  - 3
  - 2
  - none
161. What appears on your screen after this `bash` shell command line?  
`echo xx >z ; ls z > wc`
- no output on screen
  - `1 1 3`
  - 3
  - 2
  - `1 1 2`
162. What appears on your screen after this `bash` shell command line?  
`echo hi >ls ; cat ls > wc`
- `1 1 2`
  - `1 1 3`
  - no output on screen
  - `ls`
  - `hi`
163. What command can you use to remove a directory that isn't empty?
- `rmdir -r dir`
  - `del -r dir`
  - `rm -r dir`
  - `mv -r dir`
  - `deldir -r dir`

164. What is the output on your screen of this shell command line in an empty directory?  
`echo *`
- .
  - no output on screen
  - an error message from `echo` saying `*` does not exist
  - `. ..`
  - `*`
165. If file `twenty` contains 20 lines, and file `thirty` contains 30 lines, then how many lines are output on your screen by this command:  
`tail thirty | cat twenty`
- 20
  - 30
  - no lines (no output)
  - 50
  - 21
166. What is the output on your screen of the following sequence of commands:  
`echo wc >wc ; wc wc >wc ; cat wc`
- `1 1 3 wc`
  - `0 0 0 wc`
  - no output on screen
  - `wc`
  - `1 1 2 wc`
167. What text is output by this `bash` shell command sequence:  
`echo dog >out ; echo cat | sort out`
- `cat`
  - `cat` followed by `dog`
  - `dog`
  - `dog` followed by `cat`
  - `out`
168. In an empty directory, how many arguments are passed to the `rm` command in this `bash` command line? `touch a a1 a2 ba ca ; rm a*`
- 1
  - 4
  - 2
  - 3
  - none
169. What is the output on your screen of this command sequence:  
`echo foo >file ; echo bar | sort file`
- `foo` followed by `bar`
  - `bar` followed by `foo`
  - `bar`
  - `foo`
  - an error message
170. If file `nine` contains nine lines, each of which is the one-digit line number of the line in the file (1 through 9), what is the output on your screen of this command:  
`cat nine nine | tail -5 | head -1`
- 7
  - 6
  - 5
  - 9
  - 8
171. In an empty directory, how many arguments are passed to the `cat` command in this `bash` command line? `touch a1 a2 ba ca ; cat a*`
- 3
  - none
  - 2
  - 1
  - 4

172. If `/etc/passwd` is a file name, which pathname always leads to the same file?

- a. `./etc/passwd`
- b. `/etc/./etc/./passwd`
- c. `/etc/./etc/passwd`
- d. `/etc/passwd/.`
- e. `../etc/passwd`

173. When doing an `ls -a`, the output pathname that is a double dot (`..`) signifies what?

- a. A hidden text file.
- b. The parent directory.
- c. The root directory.
- d. A file or directory with double links.
- e. The current directory.

174. What is the output on your screen of this shell command line in an empty directory?

```
touch x .a .ab .cde .fghi ; echo .??*
```

- a. `.ab .cde .fghi`
- b. `.??*`
- c. `.. .a .ab .cde .fghi`
- d. `.cde .fghi`
- e. an error message from `echo` saying `.??*` does not exist

175. What appears on your screen after this bash shell command line?

```
echo hi >out ; wc -c out
```

- a. `5 out`
- b. `4 out`
- c. no output on screen
- d. `3 out`
- e. `2 out`

176. Which Unix command sequence deletes a directory and everything inside it?

- a. `rm -all dir`
- b. `deltree -all dir`
- c. `rmdir -r dir`
- d. `rmdir -all dir`
- e. `rm -r dir`

*This page intentionally left blank.*

**Answer Key - NET 2003 – Ian Allen – Winter 2008 - NET 2003 Practice Test**

- |       |       |
|-------|-------|
| 1. a  | 49. b |
| 2. c  | 50. c |
| 3. e  | 51. c |
| 4. a  | 52. e |
| 5. a  | 53. b |
| 6. c  | 54. d |
| 7. e  | 55. a |
| 8. d  | 56. a |
| 9. a  | 57. c |
| 10. a | 58. b |
| 11. a | 59. b |
| 12. b | 60. b |
| 13. e | 61. c |
| 14. c | 62. d |
| 15. a | 63. c |
| 16. d | 64. d |
| 17. d | 65. d |
| 18. e | 66. c |
| 19. e | 67. c |
| 20. b | 68. e |
| 21. e | 69. d |
| 22. d | 70. b |
| 23. c | 71. a |
| 24. e | 72. a |
| 25. b | 73. c |
| 26. c | 74. b |
| 27. c | 75. c |
| 28. b | 76. d |
| 29. a | 77. c |
| 30. e | 78. c |
| 31. b | 79. c |
| 32. e | 80. c |
| 33. d | 81. c |
| 34. b | 82. a |
| 35. e | 83. a |
| 36. d | 84. a |
| 37. c | 85. b |
| 38. a | 86. e |
| 39. b | 87. c |
| 40. e | 88. b |
| 41. d | 89. e |
| 42. e | 90. b |
| 43. e | 91. a |
| 44. a | 92. b |
| 45. c | 93. e |
| 46. d | 94. b |
| 47. d | 95. a |
| 48. b | 96. b |

- |        |        |
|--------|--------|
| 97. a  | 145. c |
| 98. b  | 146. d |
| 99. e  | 147. c |
| 100. a | 148. c |
| 101. a | 149. a |
| 102. e | 150. d |
| 103. d | 151. c |
| 104. b | 152. e |
| 105. e | 153. a |
| 106. c | 154. a |
| 107. b | 155. a |
| 108. a | 156. a |
| 109. b | 157. c |
| 110. d | 158. d |
| 111. d | 159. d |
| 112. b | 160. d |
| 113. c | 161. a |
| 114. c | 162. c |
| 115. a | 163. c |
| 116. e | 164. e |
| 117. b | 165. a |
| 118. a | 166. b |
| 119. c | 167. c |
| 120. e | 168. d |
| 121. a | 169. d |
| 122. a | 170. c |
| 123. b | 171. c |
| 124. a | 172. c |
| 125. b | 173. b |
| 126. b | 174. a |
| 127. a | 175. d |
| 128. e | 176. e |
| 129. c |        |
| 130. d |        |
| 131. a |        |
| 132. c |        |
| 133. b |        |
| 134. a |        |
| 135. a |        |
| 136. c |        |
| 137. b |        |
| 138. a |        |
| 139. c |        |
| 140. b |        |
| 141. e |        |
| 142. a |        |
| 143. b |        |
| 144. e |        |

Count of a: 42 24%  
 Count of b: 36 20%  
 Count of c: 42 24%  
 Count of d: 27 15%  
 Count of e: 29 16%

With 5 choices: 176

Macro .cmd split with good indent:  
 Macro .cmd split with no indent: 1